



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**EIFDS- Buffalo U.10 / Diesel Manual Armored Vehicle BR7-LEVEL STANAG IV
European standard specification**



Buffalo.U.10 /Diesel

ARMoured VEHICLES



EIFDS- Buffalo U.10 / Diesel Manual Armored Vehicle BR7-LEVEL STANAG IV European standard specification

Technical Specifications

Engine

Type : Diesel
Max. Torque(N.m@rpm) / Couple maximale 1300@883
Max. Power (HP@rpm) / Puissance maximum 2100@240
Transmission Type - Manual

Performance Data

Wheel drive / Roués motrices 6x6
Max. Speed Full load / Vitesse maximale pleine charge 80 (Km/hr)
Max. Cruising Range / Autonomie maximale 600 (km)

Dimensions (mm)

Total Length / Largeur total 7440 W/O S. tire # 8040 W S. tire
Max. Width / Largeur maximale 2450
Max. Height / Hauteur maximale 2600 W/O turret / 3170 W turret
Wheel Base / Empattement 3525+1400
Wheel Track / Piste deroue 2000
Min. Ground Clearance / Gardieu sol minimale 400
Tire size 6+1 (36S/85/R20)
CTIS Available
Weights (kg)
G.V.W 16475
Payload/charge utilis 2675
Protection Levels

Landmine Protection Level / Niveau de protection des mines STANAG IV Ballistic Protection Level / Niveau de protection balistique BR7

Anti - Blast Seat / Siege anti - souffle Available
Gun Ports / Ports d, armes a, feu 10
Run flat Available

Interior & Exterior

Crew / Equipage 2+8

Optional Systems

Gun base according to caliber / Base de pistolet selon etrier Available
Advanced Impact Mat / Tapis d, Impact Avance Available



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

MRAP / BUFFALO.M.12(2+10) DIESEL BR7+ LEVEL STANAG IV

**With Open Top Rotary Turret for 7.62 mm PKT Machine Gun & 12.7x108 DShK Machine Gun
AS PER EUROPEAN STANDARD SPECIFICATION**



MRAP/BUFFALO.M.12

ARMoured VEHICLES



MRAP / BUFFALO.M.12(2+10) DIESEL BR7+ LEVEL STANAG IV

With Open Top Rotary Turret for 7.62 mm PKT Machine Gun & 12.7x108 DShK Machine Gun
AS PER EUROPEAN STANDARD SPECIFICATION

SPECIFICATIONS

Engine:Man / Mercedes / Cummins 6.7 Diesel4 X4
Payload: 1300 KG
G.W :12 tons
Seats: 2+12Anti Blast seats
Color :Customer's Choice

((High Armored SteelTwo layers)) BR7+ STANAG V
Engine Pay Protection
2Doors & Hydraulic Back Door • 8 Side | R & L | gun-ports
Open top rotary turret for machine gun 360 Roof ring for weapon mount 7.62 mm
Machine Gun OR 12.7x108 DShK Machine Gun
Electric Winch 12000LBS
Rear-view camera & 2 Front Camera & Inside Camera with LCD 10 Inch
Military Dashboard with Control Unit
Front Escape-hatch Roof with Door
Rear 2 Escape-hatch Roof with Door For Gunner
Fuel Tank protection
Central Tire Inflation System (CTIS)
Run-flat systems on 4 wheels & 1 Side Spare Wheel Size 20 Inch
Rim & Tyre Size 14/00/R20 Max Load As Per Tyre 6,000 KG Qty 4 & 1 Spare Tyre
Public address system
Jerry can Qty 4
Front and Rear Heavy-Duty Bumpers
Rear -hook
Tool-kit, hydraulic heavy-duty jack
Extra Radiator Fan
first aid kit
Fire extinguisher 2 Kg
Upgrade battery
Anti Blast seats Qty 2+10 with Seatbelts

Anti RPG Net. Option

Radiator Protection
Side Boxes (Ammo & Tools) Qty 15
mm Armored Glass (Windshield 2 Pieces & 2 Front Doors) 88.5
Side Glass (1 Back Door & 4 Side Glass R & 4 Side Glass R)
Safety Glass Grill (Windshield 2 Pieces & 2 Front Doors) Side
Glass (1 Back Door & 4 Side Glass R & 4 Side Glass R)
Head Lights (R & L)
Flasher LED Front & Rear
Strobe light



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory: Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt**

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

MRAP/ BUFFALO.D.10- (4+6) DIESEL AUTOMATIC BR7+ LEVEL
STANAG II with Open Top Rotary Turret for 7.62 mm PKT Machine Gun & 12.7x108 DShK Machine Gun
AS PER EUROPEAN STANDARD SPECIFICATION



MRAP- BUFFALO.D.10

ARMoured VEHICLES



MRAP/ BUFFALO.D.10- (4+6) DIESEL AUTOMATIC BR7+ LEVEL STANAG II with Open Top Rotary Turret for 7.62 mm PKT Machine Gun & 12.7x108 DShK Machine Gun AS PER EUROPEAN STANDARD SPECIFICATION

SPECIFICATIONS

Engine: Dodge Ram / Ford F550 / Cummins / MAN / Mercedes DIESEL AUTOMATIC
Payload: 1300 KG
G.W : 8 tons
Seats: 4+6
Color : Customer's Choice

High Armored Steel Advanced BR7+ STANAG II
Engine Pay Protection
Doors • 10 Side (R & L) gun-ports 5
Open top rotary turret for machine gun 360 Roof ring for
weapon mount 7.62 mm Machine Gun OR 12.7x108 DShK Machine Gun
Electric Winch 12000LBS
Rear-view camera & 2 Front Camera & Inside Camera with LCD 10 Inch
Military Dashboard with Control Unit
Front Escape-hatch Roof with Door
Rear 2 Escape-hatch Roof with Door For Gunner
Fuel Tank protection
Run-flat systems on 4 wheels & 1 Side Spare Wheel Size 20 Inch
Rim & Tyre Size 336/80/R20 MPT Max Load As Per Tyre 3,075 KG Qty 4 & 1 Spare Tyre
Public address system
Jerry can Qty 1
Side Steps 1 Rear Step 2
Front and Rear Heavy-Duty Bumpers
Rear -hook
Tool-kit, hydraulic heavy-duty jack
Extra Radiator Fan
first aid kit
Fire extinguisher 2 Kg
Upgrade battery
Anti Blast seats Qty 4+6 with Seatbelts
Anti RPG Net. Option
Radiator Protection
Side Boxes (Ammo & Tools) Qty 16
mm Armored Glass (Windshield 2 Pieces & 2 Front Doors & 2 Rear Doors R & L) Rear Glass 77.9
Side Glass (1 Back Door & 4 Side Glass R & 4 Side Glass R)
Safety Glass Grill (Windshield 2 Pieces & 2 Front Doors & 2 Rear Doors R)
Side Glass (1 Back Door & 4 Side Glass R & 4 Side Glass R)
Head Lights (R & L) • Flasher LED Front & Rear • Strobe light



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory: Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt**
Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305
☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**EIFDS- Rhino Guard Vehicle GXR Armored Personnel Carrier - ((Petrol))AUTOMATIC BR6-level with Open
Top Rotary Turret for 7.62 mm PKT Machine Gun
European CEN 1522/23 and CEN 1063 standards specification**



Rhino Guard (4+4)

ARMOURED VEHICLES



EIFDS- Rhino Guard Vehicle GXR Armored Personnel Carrier - ((Petrol))AUTOMATIC BR6-level with Open Top Rotary Turret for 7.62 mm PKT Machine Gun European CEN 1522/23 and CEN 1063 standards specification

Standard equipment

- 5 Doors .• 8 Side and 2 rear-facing gun-ports
- Open top rotary turret for machine gun 360 Roof ring for weapon mount 7.62 mm Machine Gun OR 12.7x108 DSHK Machine Gun
- Electric Winch 12000LBS
- Rear-view camera & 2 Front Camera & Inside Camera with LCD 10 Inch
- Military Dashboard with Control Unit. • Suction Systems
- Front Escape-hatch Roof with Door & 2 Rear hatche
- Fuel Tank protection
- Upgraded suspension to cope with the additional weight due to armoring
- Upgraded Front Suspension R & L (Coil Spring & Shock Absorber)
- Upgraded Rear Suspension R & L (Leaf Spring & Shock Absorber)
- Run-flat systems on 4 wheels & 1 Rear Spare Wheel Size 17 Inch
- Rim & Tyre Size 17 Inch Qty 4 & 1 Spare Tyre
- Safety Glass Grill. • Public address system. • Jerry can
- 2 Side Tools Box & Ammo Boxes Qty 16
- 2 Side Steps 1 Rear Step. • Front and Rear Heavy-Duty Bumpers
- Rear -hook. • Tool-kit, hydraulic heavy-duty jack 3 Tons
- Extra Radiator Fan. • first aid kit. • Fire extinguisher 2 Kg. • Upgrade battery
- Anti Blast seats Qty 4+4 with Seatbelts. • Radiator Protection
- Armored Glass (Windshield & Front Doors R & L) Side Glass Qty 6
- Glass Grill (Windshield 2 Pieces & 2 Front Doors & 2 Rear Doors R & L) Rear Glass
- Flasher LED Front & Rear. • Strobe light
- Search Light .• Axe & shovel & hammer



Optional equipment

Further optional equipment available at extra cost, such as

- Windshield with Gun port
- Roof-mounted remote-controlled weapon-station
- Additional roof-hatches
- Driver/commander seats with 4-point harness
- Alternative seating layouts
- 18x8 split-rim Hutchinson alloy rims
- Tool-kit, hydraulic heavy-duty jack, fire extinguisher
- Front-mounted electric winch (e.g. WARN 12000)



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt
Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305
☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**EIFDS- Rhino Guard Vehicle GXR (Armored Personnel Carrier BR6) (2+2) ((Petrol)) AUTOMATIC BR6-level
with Open Top Rotary Turret for 7.62 mm PKT Machine Gun
European CEN 1522/23 and CEN 1063 standards specification**



Rhino Guard APC 2+2

ARMOURED VEHICLES



EIFDS- Rhino Guard Vehicle GXR (Armored Personnel Carrier BR6) (2+2) ((Petrol)) AUTOMATIC BR6-level with Open Top Rotary Turret for 7.62 mm PKT Machine Gun European CEN 1522/23 and CEN 1063 standards specification

Standard equipment

4Doors
4Side and 1 rear-facing gun-ports & 1 Front Glass gun-ports
Open top rotary turret for machine gun 360 Roof ring for weapon mount 7.62 mm Machine Gun OR 12.7x108 DShK Machine Gun
Electric Winch 12000LBS
Rear-view camera & 2 Front Camera & Inside Camera with LCD 10 Inch
Military Dashboard with Control Unit
Front Escape-hatch Roof with Door
Fuel Tank protection
Upgraded suspension to cope with the additional weight due to armoring
Upgraded Front Suspension R & L (Coil Spring & Shock Absorber)
Upgraded Rear Suspension R & L (Leaf Spring & Shock Absorber)
Run-flat systems on 4 wheels & 2 Side Spare Wheel Size 17 Inch
Rim & Tyre Size 17 Inch Qty 4 & 1 Spare Tyre
Safety Glass Grill
Public address system
Jerry can Qty 4
2Side Steps 1 Rear Step
Front and Rear Heavy-Duty Bumpers
Rear -hook
Tool-kit, hydraulic heavy-duty jack 3 Tons
Extra Radiator Fan
first aid kit
Fire extinguisher 2 Kg
Upgrade battery
Anti Blast seats Qty 2+2 with Seatbelts. • Anti RPG Net.Option. • Radiator Protection
Armored Glass (Windshield 2 Pieces & 2 Front Doors & 2 Rear Doors R & L) Rear Glass
Glass Grill (Windshield 2 Pieces & 2 Front Doors & 2 Rear Doors R & L) Rear Glass
Flasher LED Front & • Strobe light • Search Light • Rear Logistic Area

Optional equipment

Further optional equipment available at extra cost, such as
Windshield with Gun port
Roof-mounted remote-controlled weapon-station
Additional roof-hatches
Driver/commander seats with 4-point harness
Alternative seating layouts
16x8 split-rim Hutchinson alloy rims
Tool-kit, hydraulic heavy-duty jack, fire extinguisher
Front-mounted electric winch (e.g. WARN 12000)
2-way intercom
Front and rear strobe-lights
Roof-mounted search-light(s)



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**EIFDS- MOON PT6 APC Armored Personnel Carrier - ((4.0 Petrol - V6)) Manual
BR6-level with Open Top Rotary Turret for 7.62 mm PKT Machine Gun
European CEN 1522/23 and CEN 1063 standards specification**



MOON_PT6

ARMoured VEHICLES



EIFDS- MOON PT6 APC Armored Personnel Carrier - ((4.0 Petrol – V6)) Manual BR6-level with Open Top Rotary Turret for 7.62 mm PKT Machine Gun European CEN 1522/23 and CEN 1063 standards specification

Standard equipment

Front Escape-hatch Roof Size (680mm X 420mm) 2± with Door
6Side and 1 rear-facing gun-ports
Front Fuel Tank protection 90Ltr
Rear Fuel Tank protection 90Ltr
Upgraded suspension to cope with the additional weight due to armoring
Upgraded Front Suspension R & L (Coil Spring & Shock Absorber
Upgraded Rear Suspension R & L (Leaf Spring & Shock Absorber
Run-flat systems on 4 wheels & 1 Rear Door-Mounted Spare Wheel Size 16 Inch
Rim & Tyre Size 16 Inch Qty 4 & 1 Spare Tyre
Rear crew compartment manual air-cooler
Military Dashboard with Control Unit
Public address system
Police siren
Jerry can •
2Side Tools Box
2Side Steps 1 Rear Step
Front and Rear Heavy-Duty Bumpers
Front and Rear Tow-hooks
Tool-kit, hydraulic heavy-duty jack 3 Tons
Extra Radiator Fan
first aid kit
Fire extinguisher 2 Kg
seatsQty 6 with Seatbelts
Radiator Protection
Open top rotary turret For machine gun 380 Roof ring for weapon mount 7.62 mm PKT Machine Gun
Upgrade battery
Rear-view camera & Front Camera with LCD 10 Inch
Armored Glass (Windshield & Front Doors R & L) Side Glass Qty 8
Glass Grill (Windshield & Front Doors R & L) Side Glass Qty 8

Flasher LED Front 15 Cm 2± Qty 2
Strobe light 90 Cm 2± Qty 2
Flasher LED Front 15 Cm 2± Qty 2
Flasher LED Rear 15 Cm 2± Qty 2
Search Light
Axe & shovel & hammer



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt
Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305
☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**EIFDS- MOON DT6- APC Armored Personnel Carrier 4.5L- V8 Diesel Manual
BR6-level with Open Top Rotary Turret for 7.62 mm PKT Machine Gun
European CEN 1522/23 and CEN 1063 standards specification**



MOON DT6

ARMoured VEHICLES



EIFDS- MOON DT6- APC Armored Personnel Carrier 4.5L- V8 Diesel Manual BR6-level with Open Top Rotary Turret for 7.62 mm PKT Machine Gun European CEN 1522/23 and CEN 1063 standards specification

Standard equipment

Front Escape-hatch Roof Size (680mm X 420mm) 2t with Door
6Side and 1 rear-facing gun-ports
Front Fuel Tank protection 90Ltr
Rear Fuel Tank protection 90Ltr
Upgraded suspension to cope with the additional weight due to armoring*
Upgraded Front Suspension R & L (Coil Spring & Shock Absorber)
Upgraded Rear Suspension R & L (Leaf Spring & Shock Absorber)
Run-flat systems on 4 wheels & 1 Rear Door-Mounted Spare Wheel Size 16 Inch
Rim & Tyre Size 16 Inch Qty 4 & 1 Spare Tyre
Rear crew compartment manual air-cooler
Military Dashboard with Control Unit
Public address system
Police siren
Jerry can
2Side Tools Box
2Side Steps 1 Rear Step
Front and Rear Heavy-Duty Bumpers
Front and Rear Tow-hooks
Tool-kit, hydraulic heavy-duty jack 3 Tons
Extra Radiator Fan
first aid Kit
Fire extinguisher 2 Kg Blast attenuating seatsQty 6 with Seatbelts
Radiator Protection
Upgrade battery 105 Amp with smart isolator switch
Open top rotary turret For machine gun 360 Roof ring for weapon mount 7.62 mm PKT Machine Gun
Rear-view camera & Front Camera with LCD 10 Inch
Armored Glass (Windshield & Front Doors R & L) Side Glass Qty 8
Glass Grill (Windshield & Front Doors R & L) Side Glass Qty 8
Flasher LED Front 16 Cm 2± Qty 2
Strobe light 90 Cm 2± Qty 2
Flasher LED Front 16 Cm 2± Qty 2
Flasher LED Rear 16 Cm 2± Qty 2
Search Light
Axe & shovel & hammer



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

📞 **Contact us at** (+20) 1272002305 (+20) 1223953131 (+20) 1272002305

(+20) 1272002293 (+20) 1272002296 (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

EIFDS – MOON- PT4 (2+4) 4.0 Petrol Manual Armored Vehicle BR6-level European Standard Specification



MOON- PT4_2+4

ARMoured VEHICLES



EIFDS – MOON- PT4 (2+4) 4.0 Petrol Manual Armored Vehicle BR6-level European Standard Specification

Standard equipment

- 4Side and 1 rear-facing gun-ports
- Front Roof-hatch
- BR6-protected Cupola (Glass turret)
- 2Fuel-tank protection
- Upgraded suspension to cope with the additional weight due to armoring
- Run-flat systems on all 5 wheels
- Rear crew compartment manual air-cooler
- Roof ring for weapon mount
- Front strobe-lights
- Police siren/Public address system
- Front Led
- Front and Rear Heavy-Duty Bumpers
- Military Dashboard
- Rear Door-Mounted SpareWheel
- Front and RearTow-hooks
- 2Side Steps 1 Rear Step

Optional equipment

- Further optional equipment available at extra cost, such as
- Windshield with Gun port
 - Rear-view camera
 - Roof-mounted remote-controlled weapon-station
 - Additional roof-hatches
 - Driver/commander seats with 4-point harness
 - Alternative seating layouts
 - Tool-kit, hydraulic heavy-duty jack, fire extinguisher
 - Front-mounted electric winch (e.g. WARN 12000)
 - 2-way intercom
 - Front and rear strobe-lights
 - Roof-mounted search-light(s)
 - Communications equipment (VHF, UHF, satellite...)
 - Electronic Counter Measure Equipment (RF Jammer)
 - Video recording/surveillance equipment
 - Additional blast protection
 - Other – Please let us know your specific requirements



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt
Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305
☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

TIGER Light Armored Patrol Vehicle TLC 79 Amphibious Until 110 Cm



MRAP-BUFFALO.D.10

ARMOURED VEHICLES



TIGER Light Armored Patrol Vehicle TLC 79 Amphibious Until 110 Cm

Ballistic Specifications

EIFDS vehicles in BR6 level are Armoured using materials, both opaque and transparent, that meet or exceed the requirements of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas

Armoring design

The armoring is a complete self-supporting structure grafted onto the base vehicle chassis creating a unitary protection cell for the passengers

The main armour shell provides overlap for all the secondary armour components such as the doors and the windows, gun-ports etc

Heavy-duty hinges for all the opening elements (doors, hatches)

Hinges with built-in door-stop

Fuel-tanks protected with steel armour-plates

All welded joints produced using a special welding technique limiting the heat-transfer to the armour steel around the weld, and doubled-up with non-heat- affected overlaps

Test Reports/ Product Liability

All materials used in the production of the cabin were successfully tested against ballistic projectiles by independent laboratories. Test reports can be presented upon request or during a factory visit. The armoring of the vehicle provides protection against a wide range of projectiles and explosives. However, complete protection is not possible for reasons of design and modern military weapon technology

Vehicle Specifications

Basevehicle : Toyota Land Cruiser 79-, 4WD

Enginemodel : 4.0L V6 petrol

Transmission : 5-speed manual

Seats: 2+6

BodyType:Tactical Vehicle 3-door (gasoline and ammunition Carrier)

InteriorFeatures : Military special features

Upgrade Tires Max Load 1,700 Kg with Upgrade Rime Qty (4)

Spare Tyre Max Load 1,700 Kg with Upgrade Rime Qty (1)

Military Dashboard

Weapon Station Qty 2

ammo box Qty 8

jerrycan Qty 9&hammer&Axe&shovel



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**EIFDS- Armored TLC 79 With Light Manual Mortar Launcher 120 mm Mortar
Tooling Box 24 Left & 24 Right with Manual Refeeding Mechanism for Roundwith
Weapon Station 2 For MultiGuns**



MORTAR LAUNCHER 79

ARMOURED VEHICLES



EIFDS- Armored TLC 79 With Light Manual Mortar Launcher 120 mm Mortar Tooling Box 24 Left & 24 Right with Manual Refeeding Mechanism for Round with Weapon Station 2 For MultiGuns

Armoring design

The armoring is a complete self-supporting structure grafted onto the base vehicle chassis creating a unitary protection cell for the passengers. The main armour shell provides overlap for all the secondary armour components such as the doors and the windows, gun-ports etc.

Heavy-duty hinges for all the opening elements (doors, hatches)

Hinges with built-in door-stop

Fuel-tanks protected with steel armour-plates

All welded joints produced using a special welding technique limiting the heat-transfer to the armour steel around the weld, and doubled-up with non-heat-affected overlaps

Test Reports/ Product Liability

All materials used in the production of the cabin were successfully tested against ballistic projectiles by independent laboratories. Test reports can be presented upon request or during a factory visit. The armoring of the vehicle provides protection against a wide range of projectiles and explosives. However, complete protection is not possible for reasons of design and modern military weapon technology

Vehicle Specifications

Basevehicle	: Toyota Land Cruiser 79-, 4WD
Enginemodel	: 4.0L V6 petrol
Transmission	: 5-speed manual
Seats	: 2
BodyType	: 2-door
InteriorFeatures	: Front Air Conditioner Crew-Compartment Overhead Lighting Fabric/Vinyl Seats 4-Spoke Steering Wheel
ExteriorFeatures	: 16 Inch Steel Wheels with Runflat, Front and Rear Tow-hooks Upgrade Suspensions (F&R), Windshield with Gun port



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**LPV Light Petrol Vehicle (Tactical single cab)
European standard specification**



LPVT.BR6

ARMOURED VEHICLES



LPV Light Petrol Vehicle (Tactical single cab) European standard specification

INTRODUCTION

Eagles International for Defense Systems (EIFDS) Group Specialized in Manufacturing Armored Vehicles For Civilian and Military Applications (Hard Skin & Soft Skin) Armored Vehicles Our Range Of Vehicles Include Luxury Armored SUV's, Armored Sedans, Armored Buses Armored Personnel Carriers and Cash-in-Transit And ATM vehicles, And Armored Security Guard Cabins are Designed To Procure Protection and Armored Glass and Comfort Where Guards Presence Is Required In High Threat Areas. Tailor-Made To Your Needs With 24/7 Assistance, Flexibility, Competitive Rates and Quick And Efficient Delivery

EIFDS) Has Helped Saving Countless Lives Around The Globe By Offering The Ultimate Vehicles Protection

As a Progressive Customer-Centric Company, (EIFDS) is Dedicated To Both Protection And Quality. We Continually Strive To Improve Not Only Our Processes And Protection Levels But Also Our Clients Experience In Dealing With Our Organization

We Are Constantly Pushing The Boundaries In Material Research And Development To Ensure We Keep at Fore Front In The Armored Vehicle Global Market

Base vehicle : Toyota Land Cruiser 79-Series, 4WD, lhd

Engine model : 4.0L V6 petrol

Transmission : 5-speed manual

Seats : 3+3

Colour : Customer choice

Body Type: Tactical Vehicle 3-door (gasoline and ammunition Carrier)

Model: LPV Light Petrol Vehicle

Interior Features : Front Air Conditioner and heater

Military special features

Upgrade Tires Max Load 1,700 Kg with Upgrade Rime Qty (4) With Runflat (Option)

Spare Tyre Max Load 1,700 Kg with Upgrade Rime Qty (2) With Runflat (Option)

Military Dashboard

Weapon Station Qty 2

ammo box Qty 12

Jerrycan Qty 6

Armored Cabin BR6 (Firewall & Double Side (L & R) Rear Partition & Roof & Floor)

Armored Glass (Windshield & Doors (L & R) (With OR without Gun port



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**EIFDS- Armored Land Cruiser TLC 300 BR6 Soft Skin
European CEN 1522/23 and CEN 1063 standardsspecification**



ARMORED TLC 300

ARMOURED VEHICLES



EIFDS- Armored Land Cruiser TLC 300 BR6 Soft Skin European CEN 1522/23 and CEN 1063 standard specification

INTRODUCTION

Eagles International for Defense Systems (EIFDS) specialized in manufacturing armored vehicles for civilian and military applications (Hard Skin & Soft Skin) Armored Vehicles. Our range of vehicles include luxury armored SUV's, armored sedans, armored buses, Armored Personnel Carriers and Cash-in-Transit vehicles, and armored Security Guard Cabins are designed to procure protection and Armored Glass and comfort where guards presence is required in high threat areas. tailor-made to your needs with 24/7 assistance, flexibility, competitive rates and quick and efficient delivery EIFDS has helped saving countless lives around the globe by offering the ultimate vehicles protection

As a progressive customer-centric company, EIFDS is dedicated to both protection and quality. We continually strive to improve not only our processes and protection levels, but also our clients experience in dealing with our organization
We are constantly pushing the boundaries in material research and development to ensure we keep at forefront in the armored vehicle global market



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

ARMORED MODIFIED GRANDCHEROKEE LIMITED ADVANCE 4x4 LEVEL BR6
European CEN 1522/23 and CEN 1063 standards specification



GRAND CHEROKEE

ARMOURED VEHICLES



ARMORED MODIFIED GRANDCHEROKEE LIMITED ADVANCE 4x4 LEVEL BR6 European CEN 1522/23 and CEN 1063 standards specification

INTRODUCTION

The Jeep had a history of serving as a platform for developing top-tier security vehicles. For years, the GRAND CHEROKEE LIMITED is the most used SUV among government agencies, non-governmental organizations (NGOs), security organizations. And reliability the suspension reinforced heavy-duty in order to meet to handle the additional weight. We, EIFDS Vehicles using high-quality steel and glasses for giving protection against any type of ballistic threat. The standard ballistic and blast protection of of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas.

Standard equipment

MFR model code: WKJP74
Net Torque 390.0 @ 4250
Body type: Sport Utility
Suspension Type – Front Short And Long Arm
Pass Doors: 4
Suspension Type – Rear Multi-Link
Drivetrain: Four Wheel Drive
Front Tire Size P265/50TR20, P265/60TR18
Type: 8 Cylinder Engine
Rear Tire Size P265/50TR20, P265/60TR18
/Displacement L/Cl 5.7
Brake ABS System 4-Wheel
Fuel Type Gasoline Fuel
Front Brake Rotor Diam x Thickness 12.9 in (12.9 min/12.9max)
Horsepower 360.0 @ 5150
Rear Brake Rotor Diam x Thickness 12.6 in (12.6 min/12.6max)
Fuel Capacity 24.0 ga
Wheelbase 114.8 in (114.8 min/114.8max)



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory: Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt**
Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305
☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**ARMORED MODIFIED CHEVROLET SUBURBAN 6.6 L DURAMAX TURBO DIESEL
V8 VPAM VR9-STANAG 4569 VOLUME 2&3 BR7
European CEN 1522/23 and CEN 1063 standards specification**



ARMORED SUBURBAN

ARMOURED VEHICLES



ARMORED MODIFIED CHEVROLET SUBURBAN 6.6 L DURAMAXTURBO DIESEL V8 VPAM VR9-STANAG 4569 VOLUME 2&3 BR7 European CEN 1522/23 and CEN 1063 standards specification

INTRODUCTION

The CHEVROLET had a history of serving as a platform for developing top-tier security vehicles. For years, the SUBURBAN is the most used SUV among government agencies, non-governmental organizations (NGOs), security organizations. And reliability the suspension reinforced heavy-duty in order to meet to handle the additional weight We, EIFDS Vehicles using high-quality steel and glasses for giving protection against any type of ballistic threat. The standard ballistic and blast protection of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas



TECHNICAL INFORMATION COMPARISON

OEM Specifications	2015 Suburban 3PM HD 1TR (4WD)	2015 Chevrolet Suburban LT (4WD)
Armored Level	VPAM VR9 STANAG 4569 VOL 2 & 3	BR 7
Total Weight	509kg	5120kg
Powertrain		
Motor	Duramax 6.6L Turbo Diesel V8	5.3L EcoTec3 V8 engine
Fuel type	Diesel – Clean or Dirty Option	Gasoline
Displacement	6.6 liter (403 cu-in)	5.3 liter (326 cu-in)
Transmission	Allison 1000 6-speed automatic transmission	6-speed automatic transmission
horsepower @ RPM	410 hp @ 2000 RPM	300hp @ 2600 RPM
Torque @ RPM	705 lb-ft @ 1600 RPM	367 lb-ft @ 4100 RPM
Fuel Injection	Direct Injection	Direct Injection
Axle Ratio	3.71	3.08
Fuel Tank Capacity	26 gal	17 gal
Front Suspension	Independent Reinforced	Independent
Rear Suspension	Multi-Leaf Reinforced	Multi-Leaf
Drives	4-Wheel Drive w/ ADR	4-Wheel Drive w/ ADR



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt
Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305
 ☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**ARMORED MODIFIED CHEVROLET SILVERADO 3500 HDDIESEL CREW
CABLEVEL BR6TACT(Available Stock Qty 1 WhiteColor)
European CEN 1522/23 and CEN 1063 standards specification**



SILVERADO 3500

ARMOURED VEHICLES



ARMORED MODIFIED CHEVROLET SILVERADO 3500 HDDIESEL CREW CABLEVEL BR6TACT(Available Stock Qty 1 WhiteColor) European CEN 1522/23 and CEN 1063 standards specification

INTRODUCTION

The CHEVROLET had a history of serving as a platform for developing top-tier security vehicles. For years, the Silverado is the most used SUV among government agencies, non-governmental organizations (NGOs), security organizations. And reliability, the suspension reinforced heavy-duty in order to meet to handle the additional weight. We, EIFDS Vehicles using high-quality steel and glasses for giving protection against any type of ballistic threat. The standard ballistic and blast protection of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas.

Standard equipment

MFR model code CK30743

Body type: Standard Bed

Pass Doors: 4

Alternative name: Crew Cab Standard Box 4-Wheel Drive Single Rear Wheel Work Truck

Alternative body: Crew Cab Pickup - Standard Bed

Drivetrain: Four Wheel Drive- Suspension Type – Rear Multi-Leaf

Type 8 Cylinder Engine- Front Tire Size LT265/70R18E

Displacement L/CI 6.6/403- Rear Tire Size LT265/70R18E

Fuel Type Diesel Fuel- Brake ABS System 4-Wheel

Horsepower 397.0 @ 3000-Wheelbase 163.70 in (153.7 min/153.7max)

Fuel Capacity 36.0 gal-Ground Clearance, Front 10.00 in (10.0 min/10.0max)

Net Torque 765.0 @ 1600-round Clearance, Rear 8.40 in (8.4 min/8.4max)

Suspension Type – Front Independent



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

ARMORED MODIFIED CHEVROLET TAHOE LTZ 4X4LEVEL BR6
Available Stock Qty 2 White& Silver Color
European CEN 1522/23 and CEN 1063 standards specification



CHEVROLET TAHOE

ARMOURED VEHICLES



ARMORED MODIFIED CHEVROLET TAHOE LTZ 4X4 LEVEL BR6

Available Stock Qty 2 White & Silver Color

European CEN 1522/23 and CEN 1063 standards specification

INTRODUCTION

The CHEVROLET had a history of serving as a platform for developing top-tier security vehicles. For years, the TAHOE LTZ 4X4 is the most used SUV among government agencies, non-governmental organizations (NGOs), security organizations. And reliability, the suspension reinforced heavy-duty in order to meet to handle the additional weight. We, EIFDS Vehicles using high-quality steel and glasses for giving protection against any type of ballistic threat. The standard ballistic and blast protection of of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas.

Ballistic Specifications

EIFDS vehicles in BR6 level are Armoured using materials, both opaque and transparent that meet or exceed the requirements of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas.

Armoring design

MFR model code CK10706- Suspension Type
Front Independent
Body type: Sport Utility
Suspension Type – Rear Multi-Link
Pass Doors: 4
Front Tire Size P275/55R20
Alternative name: 4WD LTZ - Rear Tire Size P275/55R20
Alternative body: Sport Utility- Brake ABS System 4-Wheel
Drivetrain: Four Wheel Drive
Wheelbase 116.00 in (116.0 min/116.0max)
Type: 8 Cylinder Engine- Ground Clearance, Front 7.87 in (7.87min/8.5max)
Displacement L/CI 5.3/- Ground Clearance, Rear 7.87 in (7.87min/8.5max)
Fuel Type Flex Fuel Capability
Horsepower 355.0 @ 5600
Fuel Economy 26.0 gal
Net Torque 383.0 @ 4100



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**ARMORED MODIFIED GMC YUKON DENALI
4WD LEVEL BR6 (Available Stock Qty 3 Silver Color)
European CEN 1522/23 and CEN 1063 standards specification**



YUKON DENALI

ARMOURED VEHICLES



ARMORED MODIFIED GMC YUKON DENALI 4WD LEVEL BR6 (Available Stock Qty 3 Silver Color) European CEN 1522/23 and CEN 1063 standards specification

INTRODUCTION

The GMC had a history of serving as a platform for developing top-tier security vehicles. For years, the GMC YUKON DENALI 4WD is the most used SUV among government agencies, non-governmental organizations (NGOs), security organizations. And reliability, the suspension reinforced heavy-duty in order to meet to handle the additional weight. We, EIFDS Vehicles using high-quality steel and glasses for giving protection against any type of ballistic threat. The standard ballistic and blast protection of of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas.

Armoring

All four sides of the passenger compartment are protected using high-quality armour steel and glass defeating 7.62x51mm M80 Nato Ball ammunition (U.S. NIJ level III, CEN level FB6/BR6) and 5.56x45 SS109 ammunition (CEN level FB6/BR5 and FB6/BR6) at 0° incidences (90° to the surface) and 10m range according to CEN1063 and CEN1522. The roof of the vehicle is protected against the same ammunition at 45° incidences. Opaque Areas.

Standard equipment

MFR model code TK10706- Suspension Type
Front Coil-Over Shock
Body type: Sport Utility
Suspension Type – Rear Multi-link
Pass Doors: 4
Brake ABS System 4-Wheel
Drivetrain: All Wheel Drive
Front Brake Rotor Diam x Thickness 13.0 x1.2 in
Type: 8 Cylinder Engine
Rear Brake Rotor Diam x Thickness 13.6 x0.8 in
Displacement L/CI 6.2/378- Wheelbase 116.00 in (116.0 min/116.0max)
Fuel Type Flex Fuel Capability
Ground Clearance, Front 9.00 in (9.0min/9.0max)
Horsepower 403.0 @ 5700
Ground Clearance, Rear 9.00 in (9.0 min/9.0max)
Fuel Economy 13.0 City / 18.0 Highway MPG
Fuel Capacity 26.0 gal
Net Torque 417.0 @ 4300



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory: Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt**
Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305
☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

ARMORED LUXURY MERCEDES BENZ S600 LEVEL BR6



MERCEDES S600

ARMOURED VEHICLES



ARMORED LUXURY MERCEDES BENZ S600 LEVEL BR6

Armoring design

The armoring is integrated inside the vehicle's cab and forms a complete self-supporting structure so as to avoid excessive stress on the vehicle's original structure
The main armour shell provides overlap for all the secondary armour components such as the doors and the windows, roof hatches, gun-ports etc
Heavy-duty hinges for all the opening elements (doors, hatches)
Hinges with built-in door-stop
Fuel-tank protected with steel armour-plates

Test Reports/ Product Liability

All materials used in the production of the cabin were successfully tested against ballistic projectiles by independent laboratories. Test reports can be presented upon request or during a factory visit. The armoring of the vehicle provides protection against a wide range of projectiles and explosives. However, complete protection is not possible for reasons of design and modern military weapon technology

Standard equipment

MFR model code TK10706- Suspension Type – Rear Independent
Body type: Sedan- Brake ABS System : 40Wheel
Pass Doors: 4
Front Brake Rotor Diam x Thickness 13.8 x1.4 in
Drivetrain: All Wheel Drive
Rear Brake Rotor Diam x Thickness 12.6 x 1.0 in
Type: 12 Cylinder Engine
Wheelbase 124.60 in
Fuel Type Premium Unleaded Fuel
Horsepower 510.0 @ 5000
Fuel Capacity 23.0 gal
Net Torque 612.0 @ 1800
Manufactured By : Germany



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt
Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305
☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**ARMORED JEEP WRANGLER – Diesel LEVEL BR6
(Available Stock Qty 2 Black & White Color)**

European CEN 1522/23 and CEN 1063 standards specification



JEEP WRANGLER

ARMOURED VEHICLES



ARMORED JEEP WRANGLER – Diesel LEVEL BR6 (Available Stock Qty 2 Black & White Color)

European CEN 1522/23 and CEN 1063 standards specification

INTRODUCTION

The JEEP WRANGLER has a history of serving as a platform for developing top-tier security vehicles. For years, the JEEP WRANGLER is the most used SUV among government agencies, non-government organizations (NGOs), security organizations. And reliability, the suspension reinforced heavy-duty in order to meet to handle the additional weight. We, EIFDS Vehicles using high-quality steel and glasses for giving protection against any type of ballistic threat. The standard ballistic and blast protection of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas.



Ballistic Specifications

EIFDS vehicles in BR6 level are Armoured using materials, both opaque and transparent that meet or exceed the requirements of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas.



Armoring design

The armoring is integrated inside the vehicle's cab and forms a complete self-supporting structure so as to avoid excessive stress on the vehicle's original structure.

The main armour shell provides overlap for all the secondary armour components such as the doors and the windows, roof hatches, gun-ports etc.

Heavy-duty hinges for all the opening elements (doors, hatches)

Hinges with built-in door-stop

Fuel-tank protected with steel armour-plates



Test Reports/ Product Liability

All materials used in the production of the cabin were successfully tested against ballistic projectiles by independent laboratories. Test reports can be presented upon request or during a factory visit. The armoring of the vehicle provides protection against a wide range of projectiles and explosives. However, complete protection is not possible for reasons of design and modern military weapon technology.



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

Armored Toyota Land Cruiser 76 Level-BR6

Available Stock Qty 150

European CEN 1522/23 and CEN 1063 standard specification



Armored TLC 76

ARMOURED VEHICLES



Armored Toyota Land Cruiser 76 Level-BR6

Available Stock Qty 150

European CEN 1522/23 and CEN 1063 standards specification

Ballistic Specifications

EIFDS vehicles in BR6 level are Armoured using materials, both opaque and transparent that meet or exceed the requirements of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas

Armoring

All four sides of the passenger compartment are protected using high-quality armour steel and glass defeating 7.62x51mm M80 Nato Ball ammunition (U.S. NIJ level III, CEN level FB6/BR6) and 5.56x45 SS109 ammunition (CEN level FB5/BR5 and FB6/BR6) at 0° incidences (90° to the surface) and 10m range according to CEN1063 and CEN1522 The roof of the vehicle is protected against the same ammunition at 45° incidences Opaque Areas

Armoring design

The armoring is integrated inside the vehicle's cab and forms a complete self-supporting structure so as to avoid excessive stress on the vehicle's original structure
The main armour shell provides overlap for all the secondary armour components such as the doors and the windows, roof hatches, gun-ports etc
Heavy-duty hinges for all the opening elements (doors, hatches)
Hinges with built-in door-stop
Fuel-tank protected with steel armour-plates

Vehicle characteristics

LX TYPE	:LX	:GRADE
GULF CORPORATION COUNCIL	:GCC	:DESTINATION
HARDTOP	:HT	:BODY
LEFT-HAND DRIVE	:LHD	:DRIVER'S POSITION
4000CC 24-VALVE DOHC EFI	:1GRFE	:ENGINE
ELECTRONIC FUEL INJECTION (GASOLINE)		:EFI :FUEL SYSTEM
MANUAL TRANSMISSION	:MTM :	TRANSMISSION
MTM, 5-SPEED FLOOR SHIFT	:5F	GEAR SHIFT TYPE
COMPLETELY BUILT UNIT	:CBU	BUILDING CONDITION
058	:COLOR CODE	
FG40 :	TRIM CODE	



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt
Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305
 ☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**ARMORED MODIFIED GMC YUKON DENALI 4WD
LEVEL BR7 (Available Stock Qty 2 White Color)
European CEN 1522/23 and CEN 1063 standards specification**



YUKON DENALI BR7

ARMOURED VEHICLES



ARMORED MODIFIED GMC YUKON DENALI 4WD LEVEL BR7 (Available Stock Qty 2 White Color) European CEN 1522/23 and CEN 1063 standards specification

INTRODUCTION

The GMC had a history of serving as a platform for developing top-tier security vehicles. For years, the GMC YUKON DENALI 4WD is the most used SUV among government agencies, non-governmental organizations (NGOs), security organizations. And reliability, the suspension reinforced heavy-duty in order to meet to handle the additional weight. We, EIFDS Vehicles using high-quality steel and glasses for giving protection against any type of ballistic threat. The standard ballistic and blast protection of of the European CEN 1522/23 and CEN 1063 standards to the level FB7 for opaque areas and BR7 for transparent areas.

Ballistic Specifications

EIFDS vehicles in BR7 level are Armoured using materials, both opaque and transparent that meet or exceed the requirements of the European CEN 1522/23 and CEN 1063 standards to the level FB7 for opaque areas and BR6 for transparent areas.

The Armored GMC YUKON DENALI: Luxury and security combined

An armored GMC YUKON DENALI developed by EIFDS is rated B7 Level according to European Ballistic Standards CEN 1522/23 and CEN 1063. Our opaque armoring materials are rated FB7 Level and our transparent armoring materials are rated BR6 Level.

Two DM 51 hand grenade (German Norm) detonated simultaneously
1x HG85 (equivalent to M67 Grenade) under vehicle

In addition, the floor is also armoured to withstand the detonation of anti-personnel mines
Roof (Enhanced Roof Protection)

The roof is designed to withstand the destructive force of the following explosives

2x DM51 Hand Grenade detonated directly on the surface

1x HG85 Hand Grenade (Equiv. to M67 Grenade) detonated directly on the surface

2x HG85 Hand Grenades (Equiv. to 2xM67 grenades) detonated directly on the surface



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory: Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt**

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**Toyota Mini Bus Coaster 4,200 CC DIESEL
BR6- Armored 14 Passengers
European standard specification**



Mini Bus Coaster

ARMOURED VEHICLES



Toyota Mini Bus Coaster 4,200 CC DIESEL BR6- Armored 14 Passengers European standard specification

Ballistic Specifications

EIFDS vehicles in BR6 level are Armored using materials, both opaque and transparent that meet or exceed the requirements of the European CEN 1522/23 and CEN 1063 standards to the level FB6 for opaque areas and BR6 for transparent areas

Three sides of the passenger compartment and the roof of the vehicle are protected using high-quality armour steel and glass defeating 7.62x51mm M80 Nato Ball ammunition U.S. NIJ level III, CEN level FB6/BR6) and 5.56x45 SS109 ammunition CEN level FB5/BR5 and FB6/BR6) at 0° incidence (90° to the surface) and 10m range according to CEN1063 and CEN1522

Opaque Areas

All opaque areas including the roof are protected against the following and all lesser weapons/ammunitions at 90° impact angle in accordance with the above specifications

Calibre 7.62x39mm, FJ/PB/FeC, AK47 Kalashnikov
Calibre 5.56x45mm, FJ/PB/SCP, M16 Colt
Calibre 7.62x51mm, FJ/PB/SC,(FN) "FAL"/"LAR" NATO rifle

Transparent Areas

All transparent areas are multi-layer and polycarbonate coated to protect against the following and all lesser weapons/ammunitions at 90° impact angle in accordance with the above specifications

Calibre 7.62x39mm, FJ/PB/FeC, AK47 Kalashnikov
Calibre 5.56x45mm, FJ/PB/SCP, M16 Colt
Calibre 7.62x51mm, FJ/PB/SC,(FN) "FAL"/"LAR" NATO rifle

The floor of the vehicle is designed to defeat the following hand grenades
Two DM 51 (German Norm) detonated simultaneously

Armoring design

The armoring is integrated inside the vehicle's cab and forms a complete self-supporting structure so as to avoid excessive stress on the vehicle's original structure

The interior armour-frame provides overlap for the large-surface armour component such as the door armour-plates and the windows

Hinge mounting points are reinforced both in the pillars and in the doors in a way that the armoring of the door is supported by the armoring of the pillar

Heavy-duty hinges with in-built door-stop

Fuel-tank(s) protected with steel armour-plates

The battery and control module of the engine are protected to the same level as the opaque areas



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

**EIFDS- Military Jeep J8 Engine: 2.8L turbodiesel
Manual Mortar Launcher 107 mm**



MORTAR L-J8-01

ARMoured VEHICLES



EIFDS- Military Jeep J8 Engine: 2.8L turbodiesel Manual Mortar Launcher 107 mm

The medium range Diesel Jeep is designed and equipped to handle the most difficult terrains, in addition to the toughest environments worldwide. The Military Jeep Wrangler is very versatile and can be designed and equipped to comply with different tasks and roles according to the client's demands such as: Surveillance, Border Patrol, Rapid Intervention, Evacuation, Search & Rescue, Special Ops, etc.

The military wrangler is equipped with multiple swing-arm weapon-mounts & ring mounts for 7.62mm, 50 cal, Mortar 107mm launchers, ammunition boxes, etc

The Light Diesel Vehicle (LDV) is a capable and flexible 3-door platform designed for surveillance and reconnaissance base patrol and rapid offensive actions. The LDV is equipped with an integration plate to accommodate customer-specific gun ring, soft mount or missile systems. It can also be equipped with zoned armor

Vehicle Specifications

Engine: 2.8L CRD I-4 turbodiesel

Compression: 17.5:1

Horsepower: 158 at 3,800rpm

Torque: 295lb-ft at 2,000rpm

Tires: LT285/70R17

Curb weight: 4,451 lbs

Payload: 2,756 lbs

Other info: Run-flat tires available, unique shocks and springs, unique air inlet, can run 6 hours in zero-visibility sandstorm, 100,000-mile filter replacement into



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory: Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt**

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

EIFDS - LIGHT DIESEL TACTICAL VEHICLE JEEP J8 With Two Weapon Station



LIGHT DIESEL JEEP

ARMOURED VEHICLES



EIFDS - LIGHT DIESEL TACTICAL VEHICLE JEEP J8 With Two Weapon Station

INTRODUCTION

Eagles International for Defense Systems (EIFDS) specialized in manufacturing armored vehicles for civilian and military applications (Hard Skin & Soft Skin) Armored Vehicles. Our range of vehicles include luxury armored SUV's, armored sedans, armored buses Armored Personnel Carriers and Cash-in-Transit vehicles, and armored Security Guard Cabins are designed to procure protection and Armored Glass and comfort where guards presence is required in high threat areas. tailor-made to your needs with 24/7 assistance flexibility, competitive rates and quick and efficient delivery
EIFDS has helped saving countless lives around the globe by offering the ultimate vehicles protection

As a progressive customer-centric company, EIFDS is dedicated to both protection and quality. We continually strive to improve not only our processes and protection levels, but also our clients experience in dealing with our organization
We are constantly pushing the boundaries in material research and development to ensure we keep at forefront in the armored vehicle global market

The medium range Diesel Jeep is designed and equipped to handle the most difficult terrains, in addition to the toughest environments worldwide. The Military Jeep Wrangler is very versatile and can be designed and equipped to comply with different tasks and roles according to the client's demands such as: Surveillance, Border Patrol, Rapid ...Intervention, Evacuation, Search & Rescue, Special Ops, etc

The military wrangler is equipped with multiple swing-arm weapon-mounts & ring mounts for 7.62mm, ammunition boxes, etc

The Light Diesel Vehicle (LDV) is a capable and flexible 4-door platform designed for surveillance and reconnaissance, base patrol and rapid offensive actions. The LDV is equipped with an integration plate to accommodate customer-specific gun ring, soft mount or missile systems. It can also be equipped with zoned armor

Vehicle Specifications

Engine: 2.8L CRD I-4 turbodiesel

Compression: 17.5:1

Horsepower: 158 at 3,800rpm

Torque: 295lb-ft at 2,000rpm

Tires: LT285/70R17

Curb weight: 4,451 lbs

Payload: 2,756 lbs

Other info: Run-flat tires available, unique shocks and springs, unique air inlet, can run 5 hours in zero-visibility sandstorm, 100,000-mile filter replacement into



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory: Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt**

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

Armored Cash In Transit Vehicle (TLC 79) BR6



CIT_TLC 79

ARMoured VEHICLES



Armored Cash In Transit Vehicle (TLC 79) BR6

Toyota Land Cruiser TLC 79

The Armored Toyota Land Cruiser 79 CIT is designed to carry cash and valuables in extreme risk zones and across vast distances. This vehicle as well as the cash box is built-to-order and has the ability to be customized both internally and externally in order to suit a specific need.

We offer solutions to accommodate various payload requirements. The Cash In Transit Vehicle shell and cab are customized on a basic van or truck chassis. The CIT vehicle features perimeter protection of the passenger compartment, bullet resistant glass, run flat systems as well as video surveillance equipment. Bullet-resistant glass and a reinforced shell and cab are designed to handle bullets from most handguns and rifles. Our primary objective being to offer the best vehicles in terms of security and quality.

1.OEM BASE VEHICLE DESCRIPTION 4.0L Petro

Toyota Land Cruiser 79Single-Cab

Engine Type : 4000CC 24-VALVE DOHC EFI
Transmission : 5-speedmanual
Drivetrain : 4x4
Seats : 2+2
BodyType : EIFDS BR6 4/3-door Armoured Personnel Carrier
Fuel Tank Capacity : 180L (90L + 90L)
Wheelbase (mm) : 3,180
InteriorFeatures : Front Air Conditioner andheater
Crew-Compartment Overhead Lighting

Color : As Per Client's Request

Some of the original equipment/functions may be removed or disabled during the armoring process and some OEM features may differ dependent on the exact chassis variant



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

BRDM-2 Amphibious Armored Vehicles Diesel L6



BRDM-2 Amphibious

ARMoured VEHICLES



BRDM-2 Amphibious Armored Vehicles Diesel L6

The BRDM-2 is equipped with a single-man turret mounted in the center of the vehicle. The turret is armed with one 14.5mm KPVT heavy machine gun and a coaxial 7.62 PKT machine gun on the right side. A telescopic sight is mounted to the left of the main armament. The day-only sight is provided with a wiper. The turret has a manual traverse and is provided with an adjustable seat for the gunner. The turret allows the armament to be elevated between -5 and +30 degrees and can rotate at 360°. The 14.5 mm KPVT heavy machine gun has a maximum effective rate of fire of 150 rounds per minute with a maximum range of 2,000m. The KPVT ammunitions can penetrate 20 mm of armor at a range of 1,000 m and 30 mm of armor at range of 500 m. The 7.62mm PKT coaxial machine gun has a maximum effective rate of fire of 250 rounds per minute with a maximum range of 1,000m.



The all-welded steel armor hull of the BRDM-2 provides the crew with protection from small arms fire of 7.62mm caliber and shell splinters. The driver is seated at the front of the hull on the left with the vehicle commander to his right, when the vehicle is in combat areas. When the shutters are in position the driver and commander observe the terrain through day periscopes around the front and sides of their positions, mounted level with the roof of the vehicle. The crew mounts and dismounts the vehicle via two hatches over the driver's and commander's stations. There is one firing port on each side of the hull and immediately behind it are three-day vision blocks. The engine compartment is at the rear of the hull and there are two air-inlet louvers in the forward part of the engine compartment roof and four smaller air-inlet louvers to the rear. The exhaust pipes are on either side of the hull. The vehicle can accommodate up to five military personnel.



The BRDM-2 is motorized with a Diesel LV, water-cooled Diesel developing 140 .hp at 3,400 rpm coupled to a manual transmission with 4 forward and 1 reverse gears. The engine compartment is also separated from the crew compartment with an armored plate. The vehicle uses a 4x4 chassis with two axles.



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

EIFDS-M-1 Armoured Security Cabin



Security Cabin BR6

ARMOURD VEHICLES



EIFDS-M-2 Armoured Security Cabin

The EIFDS Armoured Security Cabin provides on-duty personnel with a protected environment against threats from all directions (360 degree) The firing ports located on all four sides and in the door of the cabin allow the personnel inside the opportunity to safely respond to external threats, creating an important deterrent
More than 5,000 Armoured Security Cabins have been produced and delivered to end users

TECHNICAL SPECIFICATION

Inside Area of Use: 200 x 200 cm (+5 cm)

Inside Height: 240 cm (+5 cm)

Heating: 2,000 Watt radiator-type convector heater

Cooling: 9,000 BTU capacity inverter air conditioner

Outdoor Lighting: 100 Watt all-round LED projectors


Floor Covering: 2.5 mm thick, fire-resistant PVC flooring material (item number 25.116/A4)

Easy-to-carry strap on the top

20 cm-diameter air ventilation fan

Mono-block door with lock

Public address system for communication with outside



EAGLES.WEB



EAGLES - CATALOGUE

📍 **Manufactory:** Suez Sea Port – Al Adabiya Free Zone, Sector 6 Block B Suez, Egypt

Contact us at ☎ (+20) 1272002305 ☎ (+20) 1223953131 ☎ (+20) 1272002305

☎ (+20) 1272002293 ☎ (+20) 1272002296 ☎ (+20) 1272002291



www.eifds.com



Info@eifds.com



Marketing@eifds.com



Sales@eifds.com



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

40mm Super Six Multi-Range Grenade Launcher



Caliber&Rounds : 40mm Standard and medium velocity rounds
Type : Multi-shot Semi-Automatic revolving action
Capacity : 6 Rounds
Firing Method : Semi-Automatic
Practical Firing : 6 Rounds in 3 Seconds
Barrel Type : Progressive with 1 in 1200 mm final twist
Overall length : 805mm / 725mm
Weight empty : 5.3kg (sight and buttstock dependent)
Effective Range : 800m (During tests the Super Six MRGL has fired in excess of 1200 meters)
Picatinny Rail : Standard configuration Quad rail can be fitted as per customer requirement
Standard Sight : Several options available as per customer request
Height : 275mm / 207mm
Width : 163mm



Grenade Launcher

ARMoured VEHICLES



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

BALLISTIC HELMET PASGT HELMET



TECHNICAL SPECIFICATIONS

Model/ Type: PASGT HELMET

Protection Level: IIIA per NIJ 06

Against threats: 9x19mm FMJ RN, .44 Magnum SJHP STANAG 2920 1.1 FSP V50 ≥ 650 m/s

Weight: 1.35kg (Medium Size)

Guarantee: 7 years (Helmet) / 3 years (Parts)

ADDITIONAL DATA

Cuts: Low Cut

Harness system: 5-point

Suspension system with antibacterial fabric

Special paint for sealing & protection against UV radiation

Strap system to hold chin with release buckle



BALLISTIC HELMET

ARMoured VEHICLES



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

EIFDS VEST



With vacuum Drag Handle at the backside
ACHILLEAS carrier with full/side MOLLE is designed for tactical operations

VEST & PLATE CARRIER TECHNICAL SPECIFICATIONS

Outer Fabric: Waterproof high strength Cordura
Inner Fabric: 3D Spacer, Coolmax mesh
Hook & Loop fasteners: MIL SPEC FAA-55126B
4 points adjustment system with side panel overlapping
Front and back pockets to insert hard plates Level IV per NIJ
10x12" (25x30cm) High strength vacuum Drag Handle at the Backside"
Colors: Olive Drab
Sizes: One Size L/XL



EIFDS VEST

ARMoured VEHICLES



EAGLES INTERNATIONAL FOR DEFENSE SYSTEMS (GROUP)

BALLISTIC PLATE LEVEL IV STAND ALONE SINGLE CURVED Level IV PER NIJ (25 x 30 cm)



TECHNICAL SPECIFICATIONS

Model / Type: EIFDS L IV

Protection Level : Level IV per NIJ Threats as follows

30-06 caliber armor-piercing bullets

3AP M2 with nominal mass of 10.8 g (166 gr.) impacting at a minimum velocity of 868 m/s (2,850 ft/s)

Curvature : single curved

Material resistance to temperature : -30 oC to +55 oC

Weight & size: Max 3 Kg (10"x12")

Color: Black

Thickness: Max. 2.5 cm

Guarantee : 10 years

Extra Characteristics

Design with anatomical cut in the upper corners for range of motion in aiming position

Specialty treated outer surface to avoid injury to the user from fragments

With the two lower corners curved to minimize wear of the carrier case



BALLISTIC PLATE

ARMoured VEHICLES